

09/807,502**WEST Search History**

Hide Items

Restore

Clear

Cancel

DATE: Tuesday, January 20, 2004

**Hide? Set Name Query****Hit Count***DB=USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=OR*

<input type="checkbox"/>	L17	L10 AND (channel\$ or microchannel\$).clm.	5
--------------------------	-----	--	---

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<input type="checkbox"/>	L16	L15 and (channel\$ or microchannel\$)	35
--------------------------	-----	---------------------------------------	----

<input type="checkbox"/>	L15	L14 and (array\$ or microarray\$)	35
--------------------------	-----	-----------------------------------	----

<input type="checkbox"/>	L14	L13 not l12	44
--------------------------	-----	-------------	----

<input type="checkbox"/>	L13	L11 and (plastic\$ or glass\$ or phenylazid\$ or NHS-ASA)	58
--------------------------	-----	---	----

<input type="checkbox"/>	L12	L11 and (glass\$ or plastic\$).clm.	14
--------------------------	-----	-------------------------------------	----

<input type="checkbox"/>	L11	L10 and (channel\$ or microchannel\$)	76
--------------------------	-----	---------------------------------------	----

<input type="checkbox"/>	L10	L9 and (array\$ or microarray\$ or device\$)	297
--------------------------	-----	--	-----

<input type="checkbox"/>	L9	(photoactivat\$).clm.	516
--------------------------	----	-----------------------	-----

<input type="checkbox"/>	L8	L7 and (photoactivat\$)	32
--------------------------	----	-------------------------	----

<input type="checkbox"/>	L7	L6 and (glass\$ or plastic\$)	135
--------------------------	----	-------------------------------	-----

<input type="checkbox"/>	L6	L5 and (array\$ or microarray\$ or analyte\$ or channel\$ or microchannel\$)	184
--------------------------	----	--	-----

<input type="checkbox"/>	L5	L4 and (chip\$ or wafer\$ or film\$ or ribbon\$)	230
--------------------------	----	--	-----

<input type="checkbox"/>	L4	L2 and (photocleav\$ or photoactivat\$ or activat\$)	430
--------------------------	----	--	-----

<input type="checkbox"/>	L3	L2 and (photocleav\$ or photoactivat\$ or activat\$)	430
--------------------------	----	--	-----

<input type="checkbox"/>	L2	millstein	1096
--------------------------	----	-----------	------

*DB=USPT; PLUR=YES; OP=OR*

<input type="checkbox"/>	L1	NHS-ASA	27
--------------------------	----	---------	----

END OF SEARCH HISTORY